

Topaz Khubayb

59 M - 5150 BHP - DP2 - AHTSV

Vessel Specifications



Vessel Specifications

Registration

Year built / Builder	2011 / Fujian South East Shipyard, China
Flag	Marshall Islands
Class	+A1, Towing Vessel, Anchor Handling Vessel, Fire Fighting Vessel Class 1, Offshore Support Vessel, E, +AMS, +DPS-2
Managers	Topaz Marine MENA

Dimensions

Length overall	59.25 m
Breadth moulded	14.95 m
Depth moulded	6.10 m
Draft moulded	4.95 m
Deadweight	1400 tonnes
Registered tonnage	GRT: 1678 / NRT: 503

Machinery

Main engines	5150 bhp - 2 x 2575 bhp @ 1600 rpm Caterpillar 3516B HD
Propulsion	2 x ZF KH-680, controllable pitch propellers in Kort Nozzle
Bow thrusters	2 x Kawasaki KT-72B3, CPP type, driven by electric motor, 8 tonnes thrust each
Stern thruster	1 x Jastram 90 F-FC controlled, FPP type, driven by electric motor, 400 kW / 6 tonnes thrust
Rudders	2 x Kamome high performance streamline 'Trailing Flap' type (alike Beckker rudders)
Main generators	2 x Caterpillar C18, 350 kW each, 415 V, 50 Hz, 3 Ph
Emergency generator	1 x Caterpillar 65 kW, 415 V, 50 Hz, 3 Ph
Shaft generator	2 x 800 kW, 415 V, 50 Hz, 3 Ph
Oily water separator	1.0 m ³ / hr with 15 ppm alarm, make: Ocean Clean
Sewage treatment plant	Membrane type for 50 persons

DP Equipment

DP System	DP Class II Kongsberg K-POS DP21
References	3 x DGPS 3 x Gyro 3 x Wind Sensor 3 x MRU 1 x Cyscan 1 x Radarscan

Deck crane

Port side	Hydraulic telescopic crane, SWL: 3 tonnes; working radius: 9 m Hoisting height: 25 m; hoisting speed: 0~14 m / min
-----------	---

Capacities

Fuel oil	540 m ³
Fresh water	357 m ³
Drill / Ballast water	396 m ³
Liquid mud	380 m ³
Bulk	187 m ³ (4 x 1650 ft ³)
Foam and detergent	13 m ³ each
Lubricant oil and hydraulic oil	6.35 m ³ each
Clear deck area	350 m ²
Deck cargo capacity	500 mt @ 7.5 tonnes / m ²

Performance

Maximum speed	13 knots
Service speed	10 knots
Bollard pull	65 tonnes

Vessel Specifications

Transfer rates

Fuel oil	1 x 150 m ³ / hr @ 75 m head
Fresh water	1 x 125 m ³ / hr @ 75 m head
Drill water	1 x 100 m ³ / hr @ 75 m head
Liquid mud	2 x 70 m ³ / hr @ 85 m head with recirculation system
Dry bulk	60 tonnes / hr at 75 m head with 5.6 bar air pressure
Bilge / ballast	2 x 75 m ³ / hr @ 40 m head

Navigation and communication

Inmarsat - C (SSAS, LRIT)	Furuno - Felcom 15
GMDSS	Furuno area A1 + A2 + A3
X Band radar	2 x Furuno - FAR 2117, FR-1510MK3
GPS plotter	1 x Furuno - GP 150
ECDIS	1 x P C Maritime
AIS	1 x Furuno - FA 150
Autopilot	1 x Anschuetz - NP 60
Navtex receiver	1 x Furuno - NX 700A
Gyro compass	1 x Anschuetz standard 22
Magnetic compass	1 x Cassens Plath
Communications: data / fax / phone	Fleet broadband 150
MF / HF SSB radio	1 x Furuno - FS 2570
Echo sounder	1 x Furuno - FE 700
MF / HF transceiver	1 x Furuno RC 1500
2 Way VHF radio	3 x SRH-50
SART	2 x Mcurdo-S4
Speed log	1 x Furuno - DS-80
Weather fax receiver	1 x Furuno - FAX 408
Anemometer	1 x R M Young - 05106
EPIRB	1 x Mcurdo

Towing / anchor handling / mooring

Anchor handling towing winch	1 x Double drum waterfall type electro-hydraulic winch Make: Plimsoll, 150 tonnes line pull and 200 tonnes brake holding capacity
Upper & lower drum wire capacity	1000 m (L) x 56 mm diameter SWR @ 10 Layers
Rated pull (1 st layer)	150 tonnes @ 0~6 m / min (1 st speed), 75 tonnes @ 0~12 m / min (2 nd speed) 25 tonnes @ 0~36 m / min (3 rd speed)
Brake holding	200 tonnes static @ 1 st layer
Stern roller	1.6 m diameter x 4 m length, 200 MT SWL
Shark jaws	1 set x SWL 200 tonnes hydraulic, make: Plimsoll (i) Wire size : 32 mm to 114 mm, (ii) Chain size: 38 mm to 114 mm
Towing pins	1 set x 200 tonnes, make: Plimsoll
Tugger winch	2 x 10 tonnes @ 15 m / min electro-hydraulic, make: Plimsoll Brake holding capacity: 15 tonnes static at 1 st layer
Rope reel for spare tow wire	1 x electro-hydraulic, make: Plimsoll Drum capacity: 1000 m (length) x 56 mm (diameter) SWR @ 10 layers Rated pull: 5 tonnes x 30 m / min (1 st layer)
Anchor windlass	1 x 6.1 t @ 10 m / min electro-hydraulic, make: Plimsoll
Anchor chain	2 x 220 m x 36 mm diameter, Grade IIa stud link chain
Anchor	2 x 1305 kg AC-14 high holding power
Capstan	2 x 5 tonnes @ 15 m / min, electro-hydraulic, make: Plimsoll Brake holding capacity: 37.30 tonnes

Firefighting and anti-pollution equipment

FIFI System	FIFI class 1 with water curtain all round
Fire monitors - (water)	1 x 1200 m ³ / hr @ 12 bar
- (water / foam)	1 x 300 - 1200 m ³ / hr @ 12 bar
Fire pumps	2 x 1650 m ³ / hr @ 12 bar, PTO from main engines
Dispersant system	2 x spray booms on port and starboard side

Vessel Specifications

Safety equipment

Fast rescue craft	1 x 15 men
Life rafts	6 x 25 men inflatable type SOLAS approved
Rescue boat	1 x 6 men
Life buoys	8 sets, SOLAS approved
Life jackets	60 sets, SOLAS approved
Fireman outfit	4 complete sets
EEBD	6 units + 1 training unit
Parachute distress signal	12 units

Accommodation (46 bunks)

2 x 1 berth cabin	2 berths
4 x 2 berth cabin	8 berths
9 x 4 berth cabin	36 berths
1 x hospital	

All cabins fully air conditioned & c/w attached toilets

Last revision September 2016


Tank Capacities

	SG	Fuel oil	Pot water	Drill water	Ballast water	Liquid mud	Brine	Base oil	Glycol	Dry bulk	Oil recovery
	M3	0,850	1,000	1,000	1,025	2,500	2,500	0,830	1,120	2,400	1,000
D.W/W.B.F.P. tank ©	137.5			137.5							
No. 1 D.W./W.B. DB tank (p)	58.83			58.83							
No. 1 D.W./W.B. DB tank (s)	56.10			56.10							
No. 2 D.W./W.B. DB tank (p)	40.35			40.35							
No. 2 D.W./W.B. DB tank (s)	40.35			40.35							
D.W/W.B.AP. tank (p)	31.42			31.42							
D.W/W.B.AP. tank (s)	31.42			31.42							
No. 1 F.W. wing tank (p)	42.84		42.84								
No. 1 F.W. wing tank (s)	42.84		42.84								
No. 2 F.W. tank (c)	55.30		55.30								
No. 3 F.W. DB tank (p)	18.65		18.65								
No. 3 F.W. DB tank (s)	18.65		18.65								
No. 4 F.W. wing tank (p)	40.82		40.82								
No. 4 F.W. wing tank (s)	40.82		40.82								
No. 5 F.W. wing tank (p)	47.75		47.75								
No. 5 F.W. wing tank (s)	49.65		49.65								
F.O. day tank (p)	15.88	13.23									
F.O. day tank (s)	15.88	13.23									
No. 1 F.O. wing tank (p)	33.80	28.16									
No. 1 F.O. DB tank (s)	36.26	30.20									
No. 2 F.O. DB tank (p)	66.45	55.35									
No. 2 F.O. DB tank (s)	66.45	55.35									
No. 3 F.O. DB tank (p)	33.04	27.52									
No. 3 F.O. DB tank (s)	33.04	27.52									
No. 4 F.O. wing tank (p)	119.57	99.61									
No. 4 F.O. wing tank (s)	119.57	99.61									
No. 1 Mud tank (p)	81.40					203.51					
No. 1 Mud tank (s)	81.40					203.51					
No. 2 Mud tank (p)	108.72					271.81					
No. 2 Mud tank (s)	108.72					271.81					
No. 1 Cement tank	46.72									64.47	
No. 2 Cement tank	46.72									64.47	
No. 3 Cement tank	46.72									64.47	
No. 4 Cement tank	46.72									64.47	
Bilge holding tank (p)	6.50										
Dirty oil tank (s)	6.50										
Foam tank (p)	13.31										
Detergent tank (s)	13.31										
Hydraulic oil tank (p)	3.18										
Hydraulic oil tank (s)	3.18										
Lube oil tank (s)	6.35										
Weight in tonnes		450	357	396		951				258	
Volume in m³		540	357	396		380				187	


All figures shown are based on tank volume at 100% filing

DP Plot Capability

DP capability envelope for case 1




DP capability envelope for case 2




DP Plot Capability

DP capability envelope for case 3



DP capability envelope for case 4



CONTACT

Commercial Department
Topaz Energy and Marine
Level 58, Almas Tower, Jumeirah Lakes Towers
P.O. Box 282800, Dubai, UAE
Tel +971 4 440 47 00
Fax +971 4 440 47 99
Email commercial.topaz@topazworld.com

TOPAZ MARINE CASPIAN

BUE Caspian Limited
5th Floor, ISR Plaza Business Centre
69 Nizami Street, Baku
AZ1005 Azerbaijan
Tel +994 124 97 87 67
Fax +994 124 97 25 96
Email commercial.caspian@topaz-marine.com

BUE Kazakhstan Limited
2nd Floor, Building 80, Micro Region 14
P.O. Box 130000, Aktau
Republic of Kazakhstan
Tel +7 7292 42 82 72
Fax +7 7292 42 82 77
Email commercial.caspian@topaz-marine.com

BUE Marine Turkmenistan Limited
Bitarap Turkmenistan Shayoly 231,
Oguzkent Hotel Business Centre,
Office 401, Ashgabat, Turkmenistan
Tel +993 12 44 99 38
Fax +993 12 44 99 39
Email commercial.caspian@topaz-marine.com

Topaz Astrakhan Limited
7, Turgeneva str, 2nd Floor
Tel +7 8512 23 80 72
Fax +7 8512 23 80 72
Email commercial.caspian@topaz-marine.com

TOPAZ MARINE MENA

Doha Marine Services WWL
P.O. Box 37102, 4th Floor, Faisaliyah Building
Suhaim Bin Hamad Street, Al Saad Area
Doha, State of Qatar
Tel +974 4410 48 00
Fax +974 4447 94 73
Email commercial.mena@topaz-marine.com

Topaz Marine Saudi Arabia Co Ltd.
P.O. Box 4905, Al Jarbou Tower, 9th Floor, Office 902
Dhahran Street
Al Khobar 31952, Kingdom of Saudi Arabia
Tel +966 13 835 36 30
Fax +966 13 833 41 58
Email commercial.mena@topaz-marine.com

TOPAZ MARINE AFRICA

Topaz Marine Angola
138 Ilha do Cabo
Avenida Murtala Mohammed
Luanda, Angola
Tel +244 222 7250 55
Email commercial.africa@topaz-marine.com

Topaz Marine Nigeria
3rd Floor, Atlantic House
121 Louis Solomon Close, Ahmadu Bello Way
Victoria Island, Lagos, Nigeria
Email commercial.africa@topaz-marine.com